

Mutton snapper

Apalachee Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Apalachicola Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|---|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Aransas Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Atchafalaya/Vermillion Bays

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Barataria Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Brazos River

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Breton/Chandeleur Sounds

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Calcasieu Lake

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Caloosahatchee River

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Charlotte Harbor

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Choctawhatchee Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Corpus Christi Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Florida Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Galveston Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Lake Borgne

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Lake Pontchartrain

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Matagorda Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Mississippi River

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Mississippi Sound

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Mobile Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Pensacola Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Perdido Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Sabine Lake

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

San Antonio Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| ■ | Observed | 5 | Highly abundant |

Mutton snapper

St. Andrew Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | |
|--|---|
| NI No information | 2 Rare |
| • Zone not Observed | 3 Common |
| Not Observed | 4 Abundant |
| Observed | 5 Highly abundant |

Mutton snapper

Suwanee River

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| ■ | Observed | 5 | Highly abundant |

Mutton snapper

Tampa Bay

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Ten Thousand Islands

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Terrebonne/Timbalier Bays

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 0.5-5 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 5-15 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| 15-25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Lower Laguna Madre

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 5-15 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 15-25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |

Mutton snapper

Upper Laguna Madre

| SALINITY ZONE | LIFE STAGE | Relative abundance by month | | | | | | | | | | | |
|---------------|------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|
| | | J | F | M | A | M | J | J | A | S | O | N | D |
| 0-0.5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 0.5-5 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 5-15 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| 15-25 ppt. | ADULTS | • | • | • | • | • | • | • | • | • | • | • | • |
| | EGGS | • | • | • | • | • | • | • | • | • | • | • | • |
| | JUVENILES | • | • | • | • | • | • | • | • | • | • | • | • |
| | LARVAE | • | • | • | • | • | • | • | • | • | • | • | • |
| | SPAWNERS | • | • | • | • | • | • | • | • | • | • | • | • |
| >25 ppt. | ADULTS | | | | | | | | | | | | |
| | EGGS | | | | | | | | | | | | |
| | JUVENILES | | | | | | | | | | | | |
| | LARVAE | | | | | | | | | | | | |
| | SPAWNERS | | | | | | | | | | | | |

Legend: Relative Abundance

| | | | |
|----|-------------------|---|-----------------|
| NI | No information | 2 | Rare |
| • | Zone not Observed | 3 | Common |
| | Not Observed | 4 | Abundant |
| | Observed | 5 | Highly abundant |